
A SAFETY MESSAGE A

The product for which you have requested information or replacement parts is not a current product. The replacement models incorporate product designs, safety features, safety instructions or warnings which represent the latest "State Of The Art" developments. For your safety and those around you please contact your nearest Ariens/Gravely Dealer for a demonstration of the current product safety provisions and features.

Riding Mower

Parts Manual



A Message to Ariens Parts Manual User

Your Ariens Dealer will be happy to supply any service or advice which may be required to keep your Ariens equipment operating at peak efficiency. He stocks genuine Ariens parts and lubricants, manufactured with the same precision and skill as the original equipment. His factory trained staff is kept well informed on the best methods of servicing Ariens equipment and is ready and able to serve you. If

engine repairs or services are required, they can be obtained from an Ariens Dealer or from an authorized engine manufacturer's service center. If service is required, be prepared to supply the service person with the Model Number and Serial Number of the equipment and engine, as well as a full description of the problem encountered.

Introduction

The information contained herein is intended for use by Ariens Dealers' trained servicemen and serves as a supplement to and reminder of training sessions conducted by Ariens Company. Before you attempt any repair, adjustment or maintenance project, be certain that you have read and fully understand the instructions in your Owner's and Repair Manuals. Understand and follow each Danger, Warning, Caution and all instructions exactly as given. also be sure that you have all tools, replacement parts and other materials required to complete the project.

A network of Ariens Dealers and Distributors is maintained in order to assure you of an adequate supply of replacement parts and technical assistance. Your local Ariens Dealer is required to order parts through his distributor. When replacement parts are required, use only genuine Ariens parts. Failure to do so may result in product malfunction and possible injury to operator and/or bystander.

NOTE: All references to "Left", "Right", "Front" and "Back" are given from operators position.

NOTE: The descriptions and specifications contained in this manual were in effect at the time the manual was approved for printing. Ariens Company reserves the right to discontinue models without notice and without incurring obligation. The equipment described within this manual may not be identified as either standard or optional and the various illustrations may not all be applicable to your particular unit. If you have questions, always check with your Ariens Dealer.

NOTE TO ARIENS DEALERS: Refer to your current Parts Price List for suggested parts stocking. Service training for dealers is available at the Ariens Service School. See your Ariens Distributor for the latest school schedule.

Contents

Decals			 • • •	2
Electrical			 	4
Frame and Seat			 	8
Steering and Front Axle				. 10
Clutch and Brake			 •••	.12
Speed Selector	• • •		 	.14
Friction Drive and Rear Axle			· • • •	.16
Engine and Traction Drive				.18
Rotary Mower Linkage		• • • •	 	.20
Rotary Mower			 . 	.22
Bagger		·. • • • •	 	.24
Front Weight		: • • • •	 	. 25
28" Flange Assembly			 	. 26

Model

Model 912010 (FM26) — 6 H.P. Tecumseh Recoil w/26" Mower Serial No. 000101 and up

Model 912011 (FM26e) - 6 H.P. Tecumseh Electric w/26" Mower Serial No. 000101 and up

Model 912012 (FM28e) — 8 H.P. Tecumseh Electric w/28" Mower Serial No. 000101 and up

Model 812004 - 26" Bagger Vac

Model 812005 - 28" Bagger Vac

This manual covers the models listed. Specific Model and Serial Numbers of your unit and attachment are on a label on the unit. Record these numbers in the space provided and use them whenever parts or service are required.

Mower Model Number	
Serial Number	
Attachment Model Number	
Serial Number	

How To Order Replacement Parts

This Parts Manual is arranged for easy identification of genuine Ariens Service parts that are illustrated showing their relationship to one another. Item numbers in the illustrations correspond to Item numbers in the first column of the parts list and are followed by the Ariens Part Number, Description and Quantity with variations between models and/or serial numbers designated in the part description. S/N 000000> means this serial number and up, with S/N (0000000 meaning up to this serial number.

Order parts from your nearest authorized Ariens Dealer. For prompt service when ordering parts, provide the following information.

- 1. MODEL AND SERIAL NUMBERS OF EQUIPMENT.
- 2. PART NUMBER (not Item Number)
- 3. DESCRIPTION
- 4. QUANTITY REQUIRED

Models 912010,11,12

AWARNING

MAY RESULT

- Tipover or complete less of steering may result from a combination of excessive begger lead, operation on slopes and abrupt turns or speed changes.
- When operating on slopes, optional front weight is required.

LOSS OF CONTROL OBJECTS MAY BE **THROWN**

- Stop blade rotation (Mower Clutch Out) before
- opening cover.
 Check bagger components
 for structural damage, wear or deterioration before each usage. Replace only with Ariens original service parts.

077917

077917







077987



- Keep shields in place
 Keep people and pets away



GO

- Release parking brake
 Depress clutch pedal
 Shift to 1st or 2nd speed
 Slowly release clutch
 Shift to desired speed



STOP

- Depress clutch pedal Depress Brake pedal Before leaving operator's position: Shift to neutral
- Snirt to neutral Engage parking brake Disengage mower clutch Stop Engine Remove ignition key



SERVICING
Wait for all movement to stop
Disconnect spark plug wire
Before tipping unit, drain
gas tank and remove
battery—if electric

077949



REV 4

078018



Decals

Models 912010,11,12



Instructions
CAUTION:
A for your personal protection.
read all safety notes in engine owner's manual.
PERATION:
For detailed lubrication, starting & operating instructions, see engine owner's manual & equipment mitr's instructions.
LUBRICATION:
SAE 30 OU


cumpeh Products Compe 900 North Street Grafion, WI 53024, U.S.A.

078609



Do not operate mower unless mower guards are in operating position or grass bagger is attached.

078937



HIGH

078209

LOW

Before starting engine be sure machine is in neutral and mower clutch is disengaged.

078558

CAUTION


STOP ENGINE BEFORE REMOVING TUBE, BOOT OR PLACING HAND INSIDE. DO NOT RUN MOWER WITHOUT COMPLETE TUBE AND CATCHER IN PLACE.

078977A


078977


FLEX-N-FLOAT 078771

Electrical




Electrical





Models 912011, 12 (B)

Electrical




ITEM NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART No	DESCRIPTION	QTY
1 -	24565	(A)Key Switch Assembly (10)	1	8	1459	Starter Cable (11)	1
	27396	(A)Ignition Switch Assembly (11)	1	9	35576	Starter Cable (11,12)	2
	12353	(B)Key Switch (10)	1	10	27213	(A)Charging Wire (11)	ī
	12341	(B)Key Switch (11,12)	1		12340	(B)Charging Wire (11,12)	1
2	27398	(A)Module	1 - 1	11	12310	(A)Wire Harness (10)	
3	31716	Seat Switch	1	,,		` '	1
4	25172	(A)Switch	1 1		12311	(A)Wire Harness (11)	1
	12369	(B)Switch (10)	i . I		12342	(B)Wire Harness (10)	1
	12371	(B)Switch (11,12)	_ i		12343	(B)Wire Harness (11,12)	1
5	25129	Battery (11,12)	i I		12386	(C)Wire Harness (11,12)	1
6	27393	Ground Cable (11)	i 1	12	12385	(C)Regulator	1
7	30577	(A)Solenoid (11)	1 1				
	35510	(B)Solenoid (11,12)	i				

- (A) 912010S/N <005000 912011S/N <008600
- (B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>
- (C) 912011S/N 010224> 912012S/N 001647>



Frame and Seat



Frame and Seat


TEM NO	PART NO	DESCRIPTION	OTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	12315	(A)Seat	1	26	25307	Rubber Pad (11,12)	1
	12356	(B)Seat	1	27	12236	Battery Retainer (11,12)	1
. 2	75019	Knob	1	28	74001	Tapping Screw #10-12 x 1/2	2
3	13157	Key Set	1	29	59028	Cap Screw 1/4-20 x 1/2	2
4	65075	Key Switch Nut 5/8-32	1	30	69083	Clip	2
5	63019	Lock Washer 5/8 ID	1	31	70011	Rib Neck Bolt 1/4-20 x 5/8	6
6	74001	Tapping Screw #10-12 x 1/2	4	32	512024	Front Frame	1
7	69088	Throttle Control (10,11)	1	33	62009	Carriage Bolt 5/16-18 x 1/2	3
	69087	Throttle Control (12)	1	34	62015	Carriage Bolt 5/16-18 x 1''	2
8	74054	Taptite #10-24 x 3/8	2	35	26016	Axle Support	1
9	68031	Pop Rivet 1/8 x .294	2	36	12220	Front Frame Support	1
10	12365	Dash Panel	1	37	74017	Taptite 5/16-18 x1/2	6
11	75076	Plastic Grommet	4	38	70086	Cap Screw 5/16-18 x 7/8	4
12	12232	Steering Column	1 .	39	63018	Lock Washer 5/16 ID	4
13	61014		2	40	64002	Washer .370/.390 x .875 x .083	6
14	26011		1	41	63003	Lock Washer 5/16 ID	6
15	65041	Lock Nut #10-24	2	42	59022	Cap Screw 5/16-18 x 3/4	2
16	65088	Speed Nut 5/16-18	4	43	65056	Flange Whizlock Nut 1/4-20	6
17	75033	Plug	1	44	59135	Cap Screw 5/16-18 x 2-1/4 Gr 5	4
18	12070	(A)Seat Bracket	1	45	65040	Center Lock Nut 1/4-20	4
1 :	12354	(B)Seat Bracket	1	46	65078	Flange Whizlock Nut 5/16-18	15
19	59045	Cap Screw 5/16-18 x 1-1/2	4	47	62011	Carriage Bolt 5/16-18 x 3/4	10
20	12079	Seat Support Washer	1	48	12352	Rear Frame	1
21	63006	Lock Washer 1/2 ID	1 🤾	49	75084	(A)Plug	1
22	59042	Cap Screw 1/2-13 x 1-1/4	. 1	50	12373		1
23	65042	Two Way Lock Nut 5/16-18	4	51	74037	Taptite #10-24 x 1/2	2
24	75075	Battery Strap (11,12)	1 ;	52	12344	Spacer (12)	2
25	25152	Hook (11,12)	2	53	64099	Washer .307/.327 x 1.625 x 10 Ga.	2
				54	70105	Rivet Washer	2

⁽A) 912010S/N <005000 912011S/N <008600

⁽B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>

Steering and Front Axle


DESTRUCTION OF



Steering and Front Axle

ITEM NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	27136	Steering Wheel	1	25	12382	Spindle Cup	2
2	58037	Roll Pin 1/4 x 1-3/4	1	26	3377	Hub Cap	2
3	58016	Roll Pin 3/16 x 1''	3	27	26039	Steering Arm	1
4	12226	Steering Shaft	1	28	67004	Cotter Pin 1/8 x 1"	6
5	64048	Washer .750/.760 x 1.375 x .062	1	29	64038	Washer .500/.510 x .875 x 24GA.	4
6	3328	Spring Washer	1	30	67014	Cotter Pin 1/8 x 1-1/4	2
7	12128	Flange Bushing	7	31	25120	Spindle Washer	2
8	12225	Push Nut	1	32	12317	R.H. Wheel Spindle	1
9	74021	Taptite #10-24 x 1/4	4		27354	L.H. Wheel Spindle	1
10	13100	Retaining Plate	1	33	55037	Flange Bushing 1/2 x 5/8 x 5/16	2
11	55053	Flange Bushing 5/8 x 1-5/32 x 3/8	1	34	12105	Tie Rod	1
12	65042	Two Way Lock Nut 5/16-18	2	35	64078	Washer .379/.389 x .626 x 21GA.	2
13	62009	Carriage Bolt 5/16-18 x 1/2	2	36	55036	Flange Bushing 3/8 x 1/2 x 5/16	1
14	64039	Washer .625/.635 x 1.005 x .062	1	37	12228	Steering Link	1
15	26036	Steering Support	1	38	64073	Washer .406 x .865 x .094	2
16	26075	Shim	4	39	58045	Groove Pin 3/16 x 1-1/4	1
17	74017	Taptite 5/16-18 x 3/4	2	40	12333	Tube	1
18	25064	Steering Pinion	1				
19	26037	Steering Gear	1				
20	26038	Steering Box	1				
21	64048	Washer .750/.760 x 1.375 x .062	2				
22	26015	Front Axle	1				
23	26017	Axle Pivot Pin	1				
24	71162	Turf Saver Tire & Wheel	2				
	71080	Turf Saver Tire 4 x 4.10/3.5	2				
	71230	Turf Mate Tire & Wheel	2				
	71207	Turf Mate Tire	2				
	71083	Rim 4 x 3.5	2				
	71231	Plastic Rim	2				
4.5	71085	Inner Tube 4 x 4.10/3.5	2				
	55058	Flange Bushing 3/4 x 1-3/8 x 3/4	4				
	12152	Zerk Fitting	2				


Clutch and Brake



Clutch and Brake

ITEM NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	67001	Cotter Pin 3/32 x 3/4	5	27	2069	Shoulder Spacer	1
2	12032	Brake Rod	1	28	12212	Clutch Link Bar	1
3	3074	Set Collar	1	29	64039	Washer .625/.635 x 1.005 x .062	1
4	60018	Set Screw 1/4-20 x 1/2	1	30	59023	Cap Screw 3/8-16 x 3/4	1
5	12196	Brake Spacer	1 .	31	12195	Clutch Rod (10,11)	1
6	12074	Brake Band Washer	1		12346	Clutch Rod (12)	1
7	83091	Compression Spring	1	32	26018	Clutch Brake Lever	1
8	65054	Center Lock Nut 1/2-20	1	33	75029	Pedal Cover	2
9	63003	Lock Washer 5/16 ID	1	34	12254	Brake Latch	1
10	59039	Cap Screw 5/16-18 x 1/2	1	35	64047	Washer .506/.516 x 1.441 x .125	1
11	12033	Brake Band	1	36	64038	Washer .500/.510 x.875 x 24GA.	3
12	12026	Brake Drum	1	37	3254	Wave Washer	1
13	66015	Woodruff Key 1/8 x 5/8 x 1/4	1	38	58005	Roll Pln 3/16 x 7/8	1
14	12086	Cap	1	39	26020	Clutch Brake Lever	1
15	12039	Disc Fork Rod	1	40	64138	Washer .526/.546 x 1.441 x .1	3
16	58016	Roll Pin 3/16 x 1''	1	41	83120	Compression Spring	1
17	83170	Torsion Spring	1	42	12128	Flange Bushing	2
18	12300	Neutral Stop	1	43	58009	Roll Pin 1/8 x 1"	1
19	70014	Cap Screw Spl 5/16-18 x 3/4	1	44	26019	Brake Lever	- 1
20	12301	Disk Fork	1	45	12200	Brake Rod (10,11)	1
21	63004	Lock Washer 3/8 ID	2		12347	Brake Rod (12)	1
22	10522	Screw Pin	2	46	22093	Zerk Fitting	1
23	67004	Cotter Pin 1/8 x 1"	3	47	63025	Lock Washer 1/4 ID	1
24	12213	Clutch Linkage Rod	1	48	55047	Sleeve Bushing 5/8 x 3/4 x 1/2	2
25	64052	Washer .380/.385 x .812 x 24GA.	4	49	512003	Brake Bell Crank	1
26	65039	Two Way Lock Nut 3/8-16	. 1	50	64002	Washer .370/.390 x .875 x .083	2

Speed Selector




Speed Selector

ITEM NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	65115	Lock Nut 5/16-24	1	28	74017	(A)Tantila 5/40/40	
2	12094		1	29	74017 74036		1
3	12151	Clevis Pin	1 .	30	25176	(A) Capping Screw #12-14 x 1-1/4	1
4	67001	Cotter Pin 3/32 x 3/4	1	31	74026	()	1
. 5	12096	Shift Link	i	32	25174	Taptite #10-24 x 3/8	2
6	63003	Lock Washer 5/16 ID	4	32	12339		1
7	3086	Ball Joint	2	33	25214	(B)Switch Mount	1
8	56034		2	34		Clamp (11,12)	1
9	55047	Sleeve Bushing 5/8 x 3/4 x 1/2	2	34	12289	(A)Switch Bracket (10)	1
10	63025	Lock Washer 1/4 ID	1		12288	(A)Switch Bracket (11)	1
-11	22093	Zerk Fitting	1	35	12387 65040		. 1
12	512017	Sliding Fork	1	33		Center Lock Nut 1/4-20	2
13	59036	Cap Screw 5/16-24 x 1/2	4	36	65100	Jam Nut 5/16-24	2
14	64002	Washer .370/.390 x .875 x .083	3	37	59022	Cap Screw 5/16-18 x 3/4	3
15	65031	Nut 5/16-24	2	38	65042	Two Way Lock Nut 5/16-18	6
16	3060	Snap In Ball Joint	4	39	64001	Washer .245/.265 x .562 x .049	1
17	12172	Shift Link (10,11)	<u> </u>		74009	Tapping Screw #10-16 x 1''	1
	12366	Shift Link (12)	4	40	59039	Cap Screw 5/16-18 x 1/2	2
18	3247	Shift Release Handle	1	41	12197	Shift Control Segment	1
19	10248	Shift Ball	1	42	65115	Lock Nut 5/16-24	1
20	83015	Compression Spring	1	43	6071	Spacer Bushing	1
21	3089	Shift Lever		44	65070	Top Lock Nut 1/4-20	1
22	64037		- I	45	61084	Machine Screw #6-32 x 1''	2
23	59072	Cap Screw 1/4-20 x 1-1/4		46	65169	Keps Nut #6-32	2
24	75045	(A)Switch Boot	1	47	59034	Cap Screw 5/16-18 x 7/8	1
-;	75172			48	63018	Lock Washer 5/16 I.D.	4
25	75026	Grommet		49	59028	Cap Screw 1/4-20 x 1/2	2
26		(A)Spacer		50	63026	Lock Washer #10	2
27	25175	(A)Cam		51	65026	Nut #10-32	2
	20.70	(m) out it]	52	65051	Keps Nut #10-24	2
				53	61014	Machine Screw #10-24 x 3/8	2

⁽A) 912010S/N <005000 912011S/N <008600

⁽B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>

Friction Drive and Rear Axle




Friction Drive and Rear Axle

	NO NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
	1	3085	Bearing Flange	2	29	64036	Washer .875/.885 x 1.380 x .062	1
	2	54079	Radial Bearing 1/2 ID x 1-3/8 OD		30	54093	Radial Bearing 7/8 ID x 1-3/4 OD	1
	3	3031	Bearing Flange	2	31	10142	Bearing Flange	1
	4	65094	Twin Whizlock Nut #10-24	4	32	65056	Flange Whizlock Nut 1/4-20	, 3
	5	12029	Hex Shaft	1	33	12306	R.H. Axle Shaft	1
	6	66015	Woodruff Key 1/8 x 5/8 x 1/4	1	34	58003	Roll Pin 3/16 x 1-1/4	1
	7	57043	Ext. Snap Ring 1-1/4 SFT x .050	1	35	35169		· i
	8	54083	Radial Bearing 1-1/4 ID x 2-3/16 OD	1. 1	36		Push Nut	1
	. 9	70009	Flange Whizlock Screw 5/16-18 x 1/2	5	37	3377		,
	10	3003	Friction Disc	1	38	12307	(A)Bearing Flange	1
	11	12183	Hub	1	39	55108	(A)Flange Bushing 1-1/8 x 1-1/4 x 3/4	1
٠,	12	22093	Zerk Fitting	1	40	54083	(A)Radial Bearing 1-1/4 ID x 2-3/16 OD	1
	13	10276	9 Tooth Sprocket	1		12337		1
	14	65054	Center Lock Nut 1/2-20	1	41	12308	(A)Cover	1
	15	12129	Flange Bushing	2		12379	(B)Cover	1
		12181	Carrier Shaft	1	42	55107	Sleeve Bushing 11/16 x 13/16 x 5/8	2
	17	64039	Washer .625/.635 x 1.005 x .062	2	43	65040	Center Lock Nut 1/4-20	3
	18	54038	Needle Bearing 5/8 ID x 13/16 OD	2	44	512013	L.H. Axle Shaft	1
		512030	Pinion and Sprocket	1	45	63025	Lock Washer 1/4 ID	1
	20	13136	Zerk Fitting	1	46	22093	Zerk Fitting	1
	21	12078	Chain	1	47	71038	Wheel 6" 0.D.	2
	22	74014	Taptite 5/16-18 x 1/2	2		71028	Turf Saver Tire & Wheel	_
	23	12027	Carrier	1		71182	Turf Saver Tire 13 x 5.00-6	
	24	12180	Locating Plate	1	<u> </u>	71205	Turf Mate Tire	2
	25	58030	Roll Pin 3/16 x 1-1/2	1	Ĭ	71221	Turf Mate Tire & Wheel	2
	26	59056	Cap Screw 1/4-20 x 1-1/4	3	48	74063	Taptite 1/2-20 x 5/8	6
		59080	Cap Screw 1/4-20 x 5/8	3	49	12309	Spindle Cup	1
		512012	Differential Assembly	2	50	67004	Cotter Pin 1/8 x 1''	1
	28	3017	Bearing Flange	1	51	56034	Seal	2

- (A) 912010S/N <005000 912011S/N <008600
- (B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>

Engine and Traction Drive

This is all the an




Engine and Traction Drive

TEM NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	25208	Hex Cap (10,11)	1	14	59069	Cap Screw 5/16-18 x 1-1/4	1
	12378	Hex Cap (12)	1	15	12142	Idler Arm	1
2	12222	Nipple (10,11)	1	16	12131	Bearing Spacer	1
	34091	Nipple (12)	1	17	12132	ldler	1
3	12377	90 Street Elbow (12)	1	18	64002	Washer .370/.390 x .875 x .083	1
4	65015	Nut 5/16-18	2	19	65042	Two Way Lock Nut 5/16-18	4
5		Order Engine and Parts from		20	59039	Cap Screw 5/16-18 x 1/2	2
		Engine Manufacturers Dealer		21	64007	Washer .307/.327 x .734 x .065	2
	82218	6 HP Tecumseh Engine (912010)		22	12006	Drive Spring Housing	1
		No. TVM140-70389L		23	70014	Cap Screw Spl 5/16-18 x 3/4	i
	82219	6 HP Tecumseh Engine (912011)	:	24	54039	Ball Bearing 5/8 ID x 1-3/8 OD	2
		No. TVM140-70388L		25	12100	Bearing Spacer	1
	82262	6 HP RECOIL TEC GROUND TO RUN	1 1	26	12010	Drive Spindle Housing	1
		No. TVM140-70399L		27	12316		1
	82263	6 HP ELEC TEC GROUND TO RUN	J 1	28	58003	Roll Pin 3/16 x 1-1/4	1
		No. TVM140-70398L		29	72048	V-Belt SAE 380 28-3/64 x 13/32	1
	82264	8 HP ELEC TEC GROUND TO RUN	1	30	12204	(A)Engine Pulley	1
		No. TVM195-150172N			12345	(B)Engine Pulley	1
6	12013	Cap	1	31	66009	Woodruff Key 5/32 x 5/8 x 1/4	1
7	83055	Compression Spring	1		66043	Straight Key 1/4 x 1-1/2 x 1/4	1
8	12014	Spring Retainer	1	32	64028	Washer .438 x 1.125 x .188	1
9	70009	Flange Whizlock Screw 5/16-18 x 1/	2 5	33	63004	Lock Washer 3/8 ID	1
10	12150	Clevis Pin	1	34	59017	Cap Screw 3/8-24 x 1-1/4	1
11	67004	Cotter Pin 1/8 x 1''	1	35	59134	Cap Screw 5/16-18 x 1-1/4 Gr r	3
12	63003	Lock Washer 5/16 ID	4	36	64123	Washer .339/.359 x .687 x .065	3
13	83026	Extension Spring	. 1 l		\		•

- (A) 912010S/N (005000 912011S/N (008600
- (B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>

Rotary Mower Linkage




Rotary Mower Linkage

1 12050 Hanger Bracket 1 38 83015 Compression Spring 2 12124 Hanger Link 2 39 12294 Mower Lift Arm 3 65060 Center Lock Jam Nut 3/8-16 2 40 12295 Pin 4 64038 Washer .500/.510 x .875 x 24GA. 4 41 58033 Roll Pin .5/32 x 3/4 6 11120 Shoulder Bolt 2 43 12284 Mower Height Quadra 7 75148 Grip 1 44 59028 Cap Screw 1/4-20 x 8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12338 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 12 12210 (A)Roller	1 1 1
2 12124 Hanger Link 2 39 12294 Mower Lift Arm 3 65060 Center Lock Jam Nut 3/8-16 2 40 12295 Pin 40 12295 Pin 5/32 x 3/4 40 12295 Pin 5/32 x 3/4 574016 Taptite 3/8-16 x 1/2 3 42 58033 Roll Pin 1/8 x 3/4 58034 Roll Pin 1/8 x 1-20 x 45 65040 Center Lock Nut 1/4 7804 Roll Pin 3/32 x 1-27 7804 Roll Pin 3/32 x 3/4 888 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 48 12067 Hanger Pin 12338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/6 67044 Hair Pin 9/64 x 3-5/6 6704 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Roll Pin 1/8 x 1-1/8 x	1
4 64038 Washer .500/.510 x .875 x 24GA. 4 41 58033 Roll Pin .5/32 x 3/4 5 74016 Taptite 3/8-16 x 1/2 3 42 58034 Roll Pin .1/8 x 3/4 6 11120 Shoulder Bolt 2 43 12284 Mower Height Quadra .7 75148 Grip 1 44 59028 Cap Screw 1/4-20 x .8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 .9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain .1 26079 (A)Mower Clutch Bracket 1 47 67010 Hair Pin 3/32 x 1-27 .1 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin .1 2358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket .1 12210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ .1 2338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ .1 2338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ .1 2338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ .1 2338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1" .1 25077 Over Center Lever 1 52 26078 Adapter Pin .1 2337 (B)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1" .1 2357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/81 2357 (B)Mower Clutch Lever 1 56 64039 Washer .625/.635 x .1 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .525/.635 x .1 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis .1 58016 Roll Pin 3/16 x 1" 2 61 12116 Rear Raising Bracket .2 83011 Extension Spring 1 62 65039 Two Way Lock Nut 5/16-18 x 3/4 1 60 12115 Clevis .2 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 .2 86076 Spring Clip 1 63 12062 Blade Brake Support .2 86016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rol .2 12063 Blade Brake .1 66 65018 Nut 3/8-16	1
5 74016 Taptite 3/8-16 x 1/2 3 42 58034 Roll Pln 1/8 x 3/4 6 11120 Shoulder Bolt 2 43 12284 Mower Height Quadra 7 75148 Grip 1 44 59028 Cap Screw 1/4-20 x 8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12338 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 12 12210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ 12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 16 12108 Mower Clutch Lever 1 <td< td=""><td>•</td></td<>	•
6 11120 Shoulder Bolt 2 43 12284 Mower Height Quadra 7 75148 Grip 1 44 59028 Cap Screw 1/4-20 x 8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 1 1 2210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 50 67044 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 13 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/616 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
7 75148 Grip 1 44 59028 Cap Screw 1/4-20 x 8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 1 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 1 2210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 1/2537 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8-16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 66 65018 Nut 3/8-16	1
8 12327 Mower Clutch Lever 1 45 65040 Center Lock Nut 1/4 9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 1 21210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1" 1 52 26078 Adapter Pin 1/8 x 1" 1 52 26078 Rear Bracket Pin 1/8 x 1" 1 54 67014 Cotter Pin 1/8 x 1-1/12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8-12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 1 200 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 1 200 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 1 200 Spring Clip 1 63 12062 Blade Brake Support 1 64 12290 Brake Arm 1 65 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 1 66 65018 Nut 3/8-16	nt 1
9 70010 Flange Whizlock Screw 3/8-16 x 1/2 2 46 25083 Roller Chain 10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 12 12210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ 12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8- 16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	
10 12090 Guide Plate 1 47 67010 Hair Pin 3/32 x 1-27 11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 12 12210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/ 12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8- 16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	20 4
11 26079 (A)Mower Clutch Bracket 1 48 12067 Hanger Pin 12358 (B)Mower Clutch Bracket 1 49 12331 Pan Height Bracket 1 12210 (A)Roller 1 50 67044 Hair Pin 9/64 x 3-5/12338 (B)Roller 1 51 67004 Cotter Pin 1/8 x 1'' 13 26077 Over Center Lever 1 52 26078 Adapter Pin 1/8 x 1'' 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 1/5 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8-16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	. 1
12358 (B)Mower Clutch Bracket 12 12210 (A)Roller 13 26077 Over Center Lever 14 67001 Cotter Pin 3/32 x 3/4 12357 (B)Mower Clutch Link 15 12253 (A)Mower Clutch Link 16 12108 Mower Clutch Lever 17 64078 Washer .379/.389 x .626 x 21GA. 18 65042 Two Way Lock Nut 5/16-18 19 12044 Front Link 20 59022 Cap Screw 5/16-18 x 3/4 21 58016 Roll Pin 3/16 x 1'' 22 83011 Extension Spring 25 68016 Rivet 1/4 x 1/2 26 12063 Blade Brake 1 49 12331 Pan Height Bracket 1 50 67044 Hair Pin 9/64 x 3-5/ 16 7004 Cotter Pin 1/8 x 1'' 15 12231 Adapter Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 15 65049 Slotted Jam Nut 5/8- 16 64039 Washer .625/.635 x 17 64003 Washer .625/.635 x 18 65042 Two Way Lock Nut 5/16-18 18 65042 Two Way Lock Nut 5/16-18 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 20 12116 Rear Raising Bracket 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro	/64 1
12 12210 (A)Roller	2
12338 (B)Roller	1
13 26077 Over Center Lever 1 52 26078 Adapter Pin 14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8- 16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 <	16 1
14 67001 Cotter Pin 3/32 x 3/4 3 53 12059 Rear Bracket Pin 15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/ 16 12357 (B)Mower Clutch Lever 1 55 65049 Slotted Jam Nut 5/8- 16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 <	6
15 12253 (A)Mower Clutch Link 1 54 67014 Cotter Pin 1/8 x 1-1/12357 (B)Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8-16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
12357 (B) Mower Clutch Link 1 55 65049 Slotted Jam Nut 5/8- 16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A) Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Rod 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	. 1
16 12108 Mower Clutch Lever 1 56 64039 Washer .625/.635 x 17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	4 1
17 64078 Washer .379/.389 x .626 x 21GA. 1 57 64003 Washer .526/.546 x 18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	
18 65042 Two Way Lock Nut 5/16-18 3 58 12332 (A)Height Link Rod 19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	
19 12044 Front Link 2 59 12114 Clevis 20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	1.062 x .095 3
20 59022 Cap Screw 5/16-18 x 3/4 1 60 12115 Clevis 21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
21 58016 Roll Pin 3/16 x 1'' 2 61 12116 Rear Raising Bracket 22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
22 83011 Extension Spring 1 62 65039 Two Way Lock Nut 3 23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
23 26076 Spring Clip 1 63 12062 Blade Brake Support 24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	
24 3016 Shoulder Bolt 1 64 12290 Brake Arm 25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	'8-16 1
25 68016 Rivet 1/4 x 1/2 1 65 12380 (B)7-1/4 Height Link Ro 26 12063 Blade Brake 1 66 65018 Nut 3/8-16	1
26 12063 Blade Brake 1 66 65018 Nut 3/8-16	. 1
	d 1
27 75044 Grommet 1 67 65155 Coupling Nut	1
	1
28 64002 Washer .370/.390 x .875 x .083 1 68 65171 Nut 3/8-16 L.H.	1
29 65015 Nut 5/16-18 2 69 12381 (B)11-1/4 Height Link F	od 1
30 83010 Extension Spring 1 70 12209 (A)Switch Bracket	1
31 12242 Blade Brake Rod 1 12367 (B)Switch Bracket	1
32 59116 Machine Screw #10-24 x 1-1/4 1 71 75045 Switch Boot	1
33 25115 T Plunger 1 72 74079 Tapping Screw #10-2	4 x 3/8 2
34 25114 T Handle 1 74015 Taptite 1/4-20 x 3/8	2
35 65041 Lock Nut #10-24 1 73 61084 Machine Screw #6-32	
36 26033 Rod 1 74 65169 Keps Nut #6-32	2
37 58007 Roll Pin 1/4 x 1-1/4 1	

- (A) 912010S/N <005000 912011S/N <008600
- (B) 912010S/N 005001> 912011S/N 008601> 912012S/N 000101>


Rotary Mower



Rotary Mower

ITEM	PART			ITEM	PART		
NO	NO	DESCRIPTION	QTY	NO	NO	DESCRIPTION	QTY
1	65025	Jam Nut 3/4-10	2	20	3170	Blade Tray	1
2	63008	Lock Washer 3/4 ID	2	21	27224	26'' Mower Blade (10,11)	1
3	12025	Mower Pulley (10,11,12 S/N 1647))	1		27285	28" Mower Blade (12)	1
	12349	Mower Pulley (12 S/N (1646)	1	22	35267	Spindle Shaft	1
4	72029	V-Belt 5LRMA 49-31/32 x 47/64		23	25204	Pan Chute Extension (10,11)	. 1
		(10,11)	1		27096	Discharge Chute (12)	1
	72168	V-Belt 53.78 x .67 (12)	1	24	59003	Cap Screw 5/16-18 x 1"	1
5	65039	Two Way Lock Nut 3/8-16	6	25	63003	Lock Washer 5/16 ID	8
6	64002	Washer .370/.390 x .875 x .083	2	- 26	65042	Two Way Lock Nut 5/16-18	1
7	12061	Mower Belt Finger	1	27	70017	Flange Whizlock Screw 5/16-18 x 5/8	3 1
		(10,11,12 S/N 1647))		28	12147	Rear Belt Finger	1
	12348	Mower Belt Finger (12 S/N (1646)	- 1	29	65040	Center Lock Nut 1/4-20	4
8	3117	Plate	1	30	27095	Hinge Plate (12)	2
. 9	512023	26" Mower Pan (10,11)	1 .	31	62017	Carriage Bolt 1/4-20 x 5/8	4
16	512028	28'' Mower Pan (12)	1	32	65015	Nut 5/16-18	8
10	22029	Bushing	1	33	65064	Wing Nut	1
11	83072	Torsion Spring (10,11)	1 (34	64127	Washer .276/.296 x .625 x 16 Ga	1
	83185	Torsion Spring (12)	1 :	35	27294	Spacer (12)	8
12	25205	Clevis Pin	1	36	62018	Carriage Bolt 5/16-18 x 1-3/4	4
13	67001	Cotter Pin 3/32 x 3/4	1	37	64082	Washer .323/.333 x 1'' x .094	4
14	54120	Radial Bearing 3/4 ID x 1-25/32 OD	2	38	6071	Spacer (12)	4
15	3172	Spindle Housing	1	39	27299	28'' Adjustable Skid (12)	2
16	59004	Cap Screw 3/8-16 x 1''	6	40	62048	Carriage Bolt 5/16-18 x 1-1/4	4
17	66003	Woodruff Key 3/16 x 3/4 x 5/16	2	41	62037	Carriage Bolt 1/4-20 x 1''	1
18	3419	Bearing Slinger	1	42	62033	Carriage Bolt 5/16-18 x 5/8	1
19	3169	Retainer Hub	. 1	43	65149	Push Nut 5/16	- 4


Bagger



ITEN NO	PART NO	DESCRIPTION	QTY	ITEM NO	PART NO	DESCRIPTION	QTY
1	59028	Cap Screw 1/4-20 x 1/2	4	33	12297	Support Bar	1/10
2	512022	Cover	1	34	59074		2
3	27253	Hinge	1	35			16
4	68025	Pop Rivet 3/16 x .402	42	36	12283		4
5	61042	Machine Screw 5/16-18 x 3/4	4	37	59045		2
6	512027	Stationary Cover	1	38	12262		1
7	35585	Tube Guide	1	39	12313		1
8	65056	Flange Whiz-Lock Nut 1/4-20	5	40	65040		8
9	62053	Carriage Bolt 1/4-20 x 1/2	1	41	2137		1
10	61012	Machine Screw #10-24x 1/2	2	42	61052		8
11	64141	Washer .214/.227 x .500 x .049	.: 4	43	65062		2
12	35584	Strap	1	44	65113	Wing Nut 5/16-18	2
13	65041	Torque Lock Nut #10-24	4	45	24327	Eye Bolt	1
14	30733	Clamp Screw	1	46	27247	Tube Bracket	1
15	65090	Twin Whiz-Lock Nut 5/16-18	. 1	47	27244	Grass Bagger Basket	ڼ
16	65078	Flange Whiz-Lock Nut 5/16-18	1	48	27251	L.H. Corner Bracket	1
17	12328	Bracket	1	49	27246	Center Tube	1
18	68062	Rivet 3/16 x 3/8	2	50	27252	Brace	ż
19	25396	Retainer	1	51	65015	Nut 5/16-18	2
20	67029	Hair Pin 3/32 x 1-7/8	1	52	59215	Tap Bolt 5/16-18 x 1-1/2	2
21	527053	Boot (04)	1	53	12321	Cover Mounting Bracket	1
	527054	Boot (05)	1	54	27312	Baffle	1
22	25322	Chute Extension	1	55	64068	Washer .192/.196 x .492 x .047	14
23	68053	Truss Rivet 3/16 x 11/32	4	56	61016	Machine Screw #10-24 x 7/8	1
24	65145	Top Lock Nut 5/16-24 GR.C	4	-57	27311	Brace	i
25	59206	Cap Screw 5/16-24 x 3/4 GR 8	4	58	27381	Hook	<u>i</u>
26	527011	Vane	2	59	75075	Battery Strap	1
27	70094	Retainer Nut 5/16-18	1	60	27305	Screen	i
28	12323	Tube Blank (4)	1	61	27306	Cover Bracket	i
	12368	Tube Blank (5)	1	62	64079	Washer .339/.359 x 1.125 x .063	4
29	25333	Clip	2	63	27427	Stationary Cover Window	1
30	27248	R.H. Tube	` 1	64	27249	Hinged Cover Window	i
31	27250	R.H. Corner Bracket	1. 1 de de	65	59045	Cap Screw	2
32	74014	Taptite 5/16-18 x 1/2	4	66	64123	Washer	2

Front Weight


Model 712006



ITEM NO	PART NO	DESCRIPTION	ATV
		Produit 1104	QTY
· 1 ÷.	12286	Weight Stud	2
- 2	64047	Washer .506/.516 X 1.441 X .125	2
3	65046	Lock Nut	2
4	12329	Weight	1
5	64008	Washer .433/.453 X 1.000 X .083	2
6	67,029	Hair Pin 3/32 X 1-7/8	2

28" Flange Assembly

Model 812005



ITEM NO	PART NO	DESCRIPTION	QTY
1	27273	28'' Side Flange	2
2	27274	Rear Flange	1
3	27227	Front Flange	1
4	62017	Carriage Bolt 1/4-20 x 5/8	10
5	65040	Nut 1/4-20	10


Ask your dealer for information about these other fine Ariens products:



Garden Tillers



Walk Behind Sno-Thro



Walk Behind Mowers



Lawn & Garden Tractors

